TUV PL-S

TUV PL-S 5W/4P 1CT

TUV PL-S lamps are compact UVC (germicidal) lamps used in residential water and air disinfection units. The compact size of the lamp allows for a small system design and design flexibility. TUV PL-S lamps offer constant UV output over their complete lifetime, for maximum security of disinfection and high system efficacy. Thanks to the single-ended lamp base, lamp replacement is easy.

Product data

• General Characteristics

Cap-Base	2G7
Cap-Base Information	4 Pins
Bulb	2xT12
Execution	4 Pins
Main Application	Disinfection
Useful Life	9000 hr

• Light Technical Characteristics

Color Code	TUV
Color Designation (text)	-

• Electrical Characteristics

Lamp Wattage	5 W
Lamp Wattage Technical	5.1 W
Lamp Voltage	27 V
Lamp Current	0.19 A

• Environmental Characteristics

Mercury (Hg) Content	3.0 mg

• UV-related Characteristics

UV-C Radiation	1.0 W

• Product Dimensions

Base Face to Base Face A	65.2 (max) mm
Insertion Length B	82.5 (max) mm
Overall Length C	89.1 (max) mm
Diameter D	28 (max) mm
Diameter D1	13 (max) mm

• Product Data

Order code	927900804007
Full product code	927900804007
Full product name	TUV PL-S 5W/4P 1CT
Order product name	TUV PL-S 5W/4P 1CT/5X10CC
Pieces per pack	1
Packing configuration	5X10CC
Packs per outerbox	50
Bar code on pack - EAN1	8727900804751
Bar code on intermediate packing - EAN2	8727900804768
Bar code on outerbox - EAN3	8727900804775
Logistic code(s) - 12NC	927900804007
Net weight per piece	20.000 gr

PHILIPS

TUV PL-S

Dimensional drawing



TUV PL-S 5W/4P 1CT

Product	A (Max)	B (Max)	C (Max)	D (Max)	D1 (Max)
TUV PL-S 5W/4P	65.2	82.5	89.1	28	13



2G7

Photometric data



TUV



TUV

www.philips.com/lighting

2014, October 31
data subject to change