



Actinic BL TL/TL-D/T5

Actinic BL TL-D 18W/10 1SL

With an optimized performance to attract most insects, Actinic BL TL, BL TLD and BL T5 lamps are the ideal choice for electronic insect killer systems. They are also suitable for photopolymerization and reprographic processes. A wide choice of wattages and a special 200-degree internal reflector version are available. In addition, Philips provides single-ended compact and T5 Actinic lamp versions as well as a circular Actinic lamp. For extra safety, there is a special shatter-proof "Secura" option which ensures that all the lamp's glass and components are retained in a special outer sleeve in the case of accidental breakage. Hence, product designers have a high degree of flexibility in choosing the best fitting solution for their needs – including compact designs. What's more, as a 100% lead-free and low-mercury product these lamps also provide a responsible environmental choice.

Product data

• General Characteristics

Cap-Base	G13
Bulb	T26
Main Application	Reprography
Useful Life	5000 hr
Life to 50% failures	13000 hr
EM	

• Electrical Characteristics

Lamp Wattage	18 W
Lamp Wattage	18 W
Technical	
Lamp Voltage	59 V
Lamp Current	0.36 A

• Environmental Characteristics

Mercury (Hg)	5.5 mg
Content	

• Light Technical Characteristics

Color Code	10
Color Designation	Actinic
(text)	
Chromaticity	222 -
Coordinate X	
Chromaticity	210 -
Coordinate Y	
Depreciation 5000	20 %
hours	
Depreciation 2000	10 %
hours	

• UV-related Characteristics

UV-A Radiation	5.0 W
100hr (IEC)	
UV-B/UV-A (IEC)	0.2 %

• Product Dimensions

Base Face to Base	589.8 (max) mm
Face A	
Insertion Length B	594.5 (min), 596.9 (max) mm
Overall Length C	604 (max) mm
Diameter D	28 (max) mm


• Product Data

Order code	263254 40
Full product code	871150026325440
Full product name	Actinic BL TL-D 18W/10 1SL
Order product name	Actinic BL TL-D 18W/10 1SL/25
Pieces per pack	1
Packing configuration	25
Packs per outerbox	25
Bar code on pack -	8711500263254
EAN1	
Bar code on	8711500263261
outerbox - EAN3	
Logistic code(s) -	928048001003
12NC	
Net weight per piece	68.900 gr

PHILIPS


sense and simplicity

Dimensional drawing





TL-D G13

Product	A (Max)	B (Min)	B (Max)	C (Max)	D (Max)
TL-D 18W/10	589.8	594.5	596.9	604	28



Photometric data



© 2011 Koninklijke Philips Electronics N.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com/lighting

2011, August 26
data subject to change