



# TUV PL-L

## TUV PL-L 18W/4P 1CT

TUV PL-L lamps are compact UVC (germicidal) lamps used in professional water and air disinfection units. The compact size of the lamp allows for a small system design and design flexibility. TUV PL-L lamps offer almost constant UV output over their complete lifetime, for maximum security of disinfection and high system efficacy. Thanks to the single-ended lamp base, lamp replacement is easy.

### Product data

#### • General Characteristics

System Description	-
Cap-Base	2G11
Cap-Base Information	4 Pins
Bulb	2xT16
Execution	-
Main Application	Disinfection
Useful Life	9000 hr

#### • Electrical Characteristics

Lamp Wattage	18 W
Lamp Wattage Technical	18 W
Lamp Voltage	60 V
Lamp Current	0.37 A

#### • Light Technical Characteristics

Color Code	TUV
Color Designation (text)	-

#### • UV-related Characteristics

UV-C Radiation	5.5 W
----------------	-------

#### • Product Dimensions

Base Face to Base Face A	195 (max) mm
Insertion Length B	220 (max) mm
Overall Length C	225 (max) mm
Diameter D	38 (max) mm
Diameter D1	18 (max) mm


#### • Product Data

Order code	927903004007
Full product code	927903004007
Full product name	TUV PL-L 18W/4P 1CT
Order product name	TUV PL-L 18W/4P 1CT/25
Pieces per pack	1
Packing configuration	25
Packs per outerbox	25
Bar code on pack - EAN1	8711500624925
Bar code on outerbox - EAN3	8711500624932
Logistic code(s) - 12NC	927903004007
Net weight per piece	60.900 gr


# PHILIPS

sense and simplicity



Dimensional drawing



Product	A (Max)	B (Max)	C (Max)	D (Max)	D1 (Max)
TUV PL-L 18W/4P	195	220	225	39	18



Photometric data



© 2011 Koninklijke Philips Electronics N.V.  
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

[www.philips.com/lighting](http://www.philips.com/lighting)

2011, August 26  
data subject to change