

# TUV T5

# TUV 64T5 SP UNP

TUV T5 lamps are single- or double-ended UVC (germicidal) lamps used in professional water and air disinfection units. The small 16 mm diameter of the lamp allows for a small system design and design flexibility. TUV T5 lamps offer constant UV output over their complete lifetime, for maximum security of disinfection and high system efficacy.

### Product data

#### • General Characteristics

System Description	High Efficiency
Cap-Base	Single Pin
Cap-Base Information	Single Pin
Bulb	T5 [T5]
Main Application	Disinfection
Useful Life	9000 hr

#### • Electrical Characteristics

Watts Lamp Wattage Tech- nical	75 W 75 W
Lamp Voltage	176 V
Lamp Current	0.425 A

#### • Light Technical Characteristics

Color Code	-
Color Designation	-
(text)	

#### • UV-related Characteristics

UV-C Radiation	31 W
----------------	------

#### Product Dimensions

Reference Length A Overall Length C Diameter D 1550.6 (min), 1553.6 (nom), 1556.6 (max) mm 1568.1 (min), 1571.6 (nom), 1575.1 (max) mm 19 (max) mm 1473 mm

#### • Product Data


Arc Length O

Product number					
Full product name					
Short product name					
Pieces per Sku					
eop pck cfg					
Skus/Case					
Bar code on pack					
Bar code on case					
Logistics code(s)					
eop_net_weight_pp					

292698 TUV 64T5 HE SP UNP TUV 64T5 HE SP UNP 1 32 8711500640796 8711500640802 927970504099 156.000 gr



# Dimensional drawing




## Single pin

Product	A (Min)	A (Norm)	A (Max)	B (Min)	B (Norm)	B (Max)	C (Min)	C (Norm)	C (Max)	D (Max)	O (Norm)
TUV 64T5 HE SP	-	-	1556.6	-	-	-	-	-	1575.1	18.6	1473



## Photometric data





 $\ensuremath{\mathbb{C}}$  2011 Koninklijke Philips Electronics N.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com/lighting