

TUV T5

TUV 36T5 HE 4P SE UNP

TUV T5 lamps are single- or double-ended UVC (germicidal) lamps used in professional water and air disinfection units. The small 16 mm diameter of the lamp allows for a small system design and design flexibility. TUV T5 lamps offer constant UV output over their complete lifetime, for maximum security of disinfection and high system efficacy.

Product data

• General Characteristics

System Description
Cap-Base
Cap-Base Information
Rulb
T16

Bulb T16
Main Application Disinfection
Useful Life 9000 hr

• Electrical Characteristics

Rated Lamp Wattage 40 W Technical Lamp 40 W Power Lamp Voltage 94 V

Lamp Voltage 94 V Lamp Current 0.425 A

• Light Technical Characteristics

Colour Code - Colour Designation -

• UV-related Characteristics

UV-C Radiation 15 W

• Product Dimensions

Reference Length A 839.4 (min), 842.4 (nom), 845.4 (max)

mm

Overall Length C 846.1 (min), 849.5 (nom), 852.9 (max)

mm

Diameter D 19 (max) mm

• Product Data

Order code 642318 99
Full product code 871150064231899
Full product name Order product name TUV 36T5 HE 4P SE UNP

Pieces per pack 1
Packing configuration 32
Packs per outerbox 32

Bar code on pack - 8711500642318 EAN1 Bar code on 8711500642349

Bar code on outerbox - EAN3


Logistic code(s) - 927970204099

12NC

Net weight per piece 87.000 gr



Dimensional drawing




4 pins single ended


Product	A (Min)	A (Norm)	A (Max)	B (Min)	B (Norm)	B (Max)	C (Min)	C (Norm)	C (Max)	D (Max)	O (Norm)
TUV 36T5 HE 4P SE	-	-	845.4	-	-	-	-	-	853	19.3	-



TUV T5

Photometric data







 $\ensuremath{\textcircled{\odot}}$ 2011 Koninklijke Philips Electronics N.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.