



Medical Therapy Jaundice TL/TL-D

TL 20W/52 SLV

Tubular or compact single-ended low-pressure mercury vapour fluorescent lamps

Product data

• General Characteristics

Cap-Base	G13 [G13]
Bulb	T38
Main Application	Medical Therapy
Useful Life	2000 hr
Life to 50% failures	9000 hr
EM	

• Electrical Characteristics

Rated Lamp Wattage	20 W
Technical Lamp Power	19.3 W
Lamp Voltage	57 V
Lamp Current	0.37 A
Dimmable	no

• Environmental Characteristics

Mercury (Hg) Content	8.0 mg
----------------------	--------

• Light Technical Characteristics

Beam Description	-
Colour Code	52
Colour Designation	Medical
Lamp Luminous Flux	360 Lm
EM	

Depreciation 2000 hours	20 %
-------------------------	------


• Product Dimensions

Base Face to Base Face A	589.8 (max) mm
Insertion Length B	594.5 (min), 596.9 (max) mm
Overall Length C	604 (max) mm
Diameter D	40.5 (max) mm


• Product Data

Order code	643025 40
Full product code	871150064302540
Full product name	TL 20W/52 SLV
Order product name	TL 20W/52 SLV/25
Pieces per pack	1
Packing configuration	25
Packs per outerbox	25
Bar code on pack - EAN1	8711500643025
Bar code on outerbox - EAN3	8711500643032
Logistic code(s) - 12NC	928003505203
Net weight per piece	156.000 gr



Dimensional drawing



Product	A (Max)	B (Min)	B (Max)	C (Max)	D (Max)
TL 20W/52	589.8	594.5	596.9	604	40.5



Photometric data



© 2011 Koninklijke Philips Electronics N.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com/lighting

2011, May 18
data subject to change