



TUV PL-L

TUV PL-L 60W/4P HO 1CT

TUV PL-L lamps are compact UVC (germicidal) lamps used in residential water and air disinfection units. The compact size of the lamp allows for a small system design and design flexibility. TUV PL-L lamps offer constant UV output over their complete lifetime, for maximum security of disinfection and high system efficacy. Thanks to the single-ended lamp base, lamp replacement is easy.

Product data

• General Characteristics

System Description	-
Cap-Base	2G11
Cap-Base Information	4 Pins
Bulb	2xT16
Execution	-
Main Application	Disinfection
Useful Life	9000 hr

• Electrical Characteristics

Rated Lamp Wattage	60 W
Technical Lamp	67 W
Power	
Lamp Voltage	84 V
Lamp Current	0.800 A

• Light Technical Characteristics

Colour Code	TUV
Colour Designation	-

• UV-related Characteristics

UV-C Radiation	19.0 W
----------------	--------

• Product Dimensions

Base Face to Base Face A	390 (max) mm
Insertion Length B	415 (max) mm
Overall Length C	420 (max) mm
Diameter D	38 (max) mm
Diameter D1	18 (max) mm


• Product Data

Order code	710345 40
Full product code	871150071034540
Full product name	TUV PL-L 60W/4P HO 1CT
Order product name	TUV PL-L 60W/4P HO 1CT/25
Pieces per pack	1
Packing configuration	25
Packs per outerbox	25
Bar code on pack - EAN1	8711500710345
Bar code on outerbox - EAN3	8711500710352
Logistic code(s) - 12NC	927909004007
Net weight per piece	104.000 gr


PHILIPS

sense and simplicity



Dimensional drawing



Product	A (Max)	B (Max)	C (Max)	D (Max)	D1 (Max)
TUV PL-L 60W/4P HO	390	415	420	38	18



Photometric data



© 2011 Koninklijke Philips Electronics N.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com/lighting

2011, May 17
data subject to change