

TUV PL-L

TUV PL-L 35W/4P HO 1CT

TUV PL-L lamps are compact UVC (germicidal) lamps used in professional water and air disinfection units. The compact size of the lamp allows for a small system design and design flexibility. TUV PL-L lamps offer almost constant UV output over their complete lifetime, for maximum security of disinfection and high system efficacy. Thanks to the single-ended lamp base, lamp replacement is easy.

Product data

• General Characteristics

System Description	-
Cap-Base	2G11
Cap-Base Information	4 Pins
Bulb	2xT16
Execution	-
Main Application	Disinfection
Useful Life	9000 hr

• Electrical Characteristics

Lamp Wattage	35 W
Lamp Wattage Tech-	35 W
nical Lamp Voltage Lamp Current	42 V 0.85 A

• Light Technical Characteristics

Color Code	TUV
Color Designation	-
(text)	

• UV-related Characteristics

UV-C Radiation 11.0 W

Product Dimensions

Base Face to Base
Face A
Insertion Length B
Overall Length C
Diameter D
Diameter D1

• Product Data

Order code Full product code		
Full product name		
Order product name		
Pieces per pack		
Packing configuration		
Packs per outerbox		
Bar code on pack -		
EAN1		
Bar code on		
outerbox - EAN3		
Logistic code(s) -		
12NC		
Net weight per piece		

927904204007 927904204007 TUV PL-L 35W/4P HO 1CT TUV PL-L 35W/4P HO 1CT/25 1 25 25 8711500888273 8711500888280 927904204007 60.900 gr


195 (max) mm 220 (max) mm 225 (max) mm


39 (max) mm 18 (max) mm



TUV PL-L


Dimensional drawing





Product	A (Max)	B (Max)	C (Max)	D (Max)	D1 (Max)
TUV PL-L 35W/4P HO	195	220	225	39	18

Photometric data





 $\ensuremath{\mathbb{C}}$ 2011 Koninklijke Philips Electronics N.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com/lighting