



TL-D Blacklight Blue

TL-D 36W BLB 1PP

Low-pressure mercury vapour fluorescent lamps with an inner envelope coated with a fluorescent powder emitting long wave UV radiation to excite luminescence

Product data

• General Characteristics

Cap-Base	G13
Bulb	T26
Main Application	Blacklight Blue
Useful Life	12000 hr
Life to 50% failures	15000 hr
EM	

• Electrical Characteristics

Lamp Wattage	36 W
Lamp Wattage Technical	36 W
Lamp Voltage	103 V
Lamp Current	0.44 A

• Environmental Characteristics

Mercury (Hg) Content	5.0 mg
----------------------	--------

• Light Technical Characteristics

Color Code	108 [08 lead free glass]
Color Designation (text)	Blacklight Blue
Depreciation 5000 hours	15 %
Depreciation 2000 hours	10 %

• UV-related Characteristics

UV-A Radiation	9.5 W
100hr (IEC)	
UV-B/UV-A (IEC)	0.2 %

• Product Dimensions

Base Face to Base Face A	1199.4 (max) mm
Insertion Length B	1204.1 (min), 1206.5 (max) mm
Overall Length C	1213.6 (max) mm
Diameter D	28 (max) mm


• Product Data

Order code	928048510864
Full product code	928048510864
Full product name	TL-D 36W BLB 1PP
Order product name	TL-D 36W BLB 1PP/10
Pieces per pack	1
Packing configuration	10
Packs per outerbox	10
Bar code on pack - EAN1	8711500628947
Bar code on outerbox - EAN3	8711500629173
Logistic code(s) - 12NC	928048510864
Net weight per piece	137.500 gr

PHILIPS


sense and simplicity

Dimensional drawing





TL-D G13

Product	A (Max)	B (Min)	B (Max)	C (Max)	D (Max)
TL-D 36W/108	1199.4	1204.1	1206.5	1213.6	28



Photometric data



© 2011 Koninklijke Philips Electronics N.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com/lighting

2011, August 26
data subject to change