

Halogen High Voltage DE



PF801 R 1000W R7s 230V 1CT

Halogen High Voltage DE – great colour for film and video. The high, constant light output and consistent colour temperature of these double ended high voltage halogen lamps ensure attractive, accurately exposed pictures for both film and video. In addition, the wide choice of dimensions and power ratings opens new levels of creative freedom for the luminaire designer.

Benefits

• General Characteristics

Philips Code	PF801 R
ANSI Code	FDG
LIF Code	P1/12
Cap-Base	R7s
Bulb Finish	Clear
Filament Shape	Coiled Coil
Burning Position	any
Main Application	Video/Photo/Eng
Life to 50% failures	15 hr

• Electrical Characteristics

Rated Lamp Wattage	1000 W
Voltage	230 V
Dimmable	yes
Rapid Acting HBC	6.3 V
Fuse	

• Light Technical Characteristics

Colour Temperature	3400 K
Technical	
Lamp Luminous Flux	34000 Lm

• Product Dimensions

Base Face to Base Face A	120.1 (min), 121.7 (nom), 123.3 (max) mm
--------------------------	--

Overall Length C	125.1 (max) mm
Diameter D	9 (max) mm
Filament Length W	75 mm


• Luminaire Design Requirements

Pinch Temperature	450 (max) C
Bulb Temperature	900 (max) C

• Product Data


Order code	923862743201
Full product name	PF801 R 1000W R7s 230V 1CT
Order product name	PF801 R 1000W R7s 230V 1CT/10
Pieces per pack	1
Packing configuration	10
Packs per outerbox	10
Bar code on pack - EAN1	8711500491992
Bar code on outerbox - EAN3	8711500521804
Logistic code(s) - 12NC	923862743201
Net weight per piece	11.000 gr

Dimensional drawing



R7s, RX7s

Product	A (Min)	A (Norm)	A (Max)	C (Max)	D (Max)	W (Norm)
PF801 R 1000W R7s 230V	120.1	121.7	123.3	125.1	9	75



© 2011 Koninklijke Philips Electronics N.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com/lighting

2011, August 26
data subject to change