



MASTER TL5 Circular 55W/830 1CT

Product family description
Environmentally responsible, ultra-slim
lamps with improved color rendering,
higher efficacy and longer life.

Features/Benefits

- Slim profile lamp and ballast.
- Design flexibility.
- Improved optical control.
- Fixtures can be 45% smaller than T9 Circline systems.
- Better for the environment.
- Energy efficient.
- Less material for less waste.
- Operates on programmed start ballasts.
- Available in 9" and 12" sizes.


Product data	
Product Number	871150064279025
Full product name	MASTER TL5 Circular 55W/830 1CT
Ordering Code	871150064279025
Pack type	1 Lamp in a Folding Carton
Pieces per Sku	1
Skus/Case	10
Pack UPC	8711500642790
EAN2US	
Case Bar Code	8711500642806
Successor Product number	
Cap- Base	2GX13
Bulb	C- T5 [C- T 16mm]
Packing Type	1CT [1 Lamp in a Folding Carton]
Packing Configuration	10
Life to 50%failures Preheat EL	12000 hr
Ordering Code	TL5C 55W/830 1CT/10
Pack UPC	8711500642790




Product data	
Case Bar Code	8711500642806
Lamp Wattage Rated	55W
Lamp Voltage	101 V
Dimmable	Yes
Mercury (Hg) Content	7.0 mg
Color Code	830 [CCT of 3000K]
Color Rendering Index	85 Ra8
Color Designation (text)	Warm White
Color Description (code+ text)	830 Warm White
Color Temperature	3000 K
Luminous Flux Lamp EL	4200 Lm
Diameter D	18 mm
Product Number	165936



TL5- C




Base 2GX13




Life Expectancy 3h cycle


TL5- C




TL5- C/830



TL5-C/830



TL5-C



TL5-C

	D	D	D	D	E	E	E	E	I	I	I	I
Full product name	Min	Min	Max	Max	Min	Min	Max	Max	Min	Min	Max	Max
55W/830C	14	14	18	18	23	23	30	30	26	26	27	27