



MASTER TL-D Food

MASTER TL-D Food 18W/79 1SL

The TL-D Food lamp makes the appearance of meat and bakery products more fresh and tasty. It can be applied for food illumination in butcher shops, bakeries, supermarkets etc.



asimpleswitch.com

PHILIPS

sense and simplicity

Product data

• General Characteristics

Cap-Base	G13 [Medium Bi-Pin Fluorescent]
Bulb	T8 [26 mm]
Life to 50% failures EM	15000 hr
Life to 50% fail	20000 hr
Preheat EL,3h	
Life to 50% fail	12000 hr
Nonpreh EL,3h	

• Light Technical Characteristics

Color Code	79
Color Rendering Index	74 Ra8
Color Designation (text)	Food
Color Temperature	3800 K
Chromaticity Coordinate X	365 -
Chromaticity Coordinate Y	314 -
Luminous Flux Lamp EM	740 Lm
Luminous Efficacy Lamp EM	41 Lm/W
Lumen Maintenance 2000h	90 %
Lumen Maintenance 5000h	85 %

• Electrical Characteristics

Lamp Wattage	18 W
Lamp Wattage EM	18.0 W
Lamp Voltage	59 V

Lamp Current EM	0.360 A
Dimmable	Yes

• Environmental Characteristics

Energy Efficiency Label (EEL)	B
Mercury (Hg) Content	5.0 mg



• Product Dimensions

Base Face to Base Face A	589.8 (max) mm
Insertion Length B	594.5 (min), 596.9 (max) mm
Overall Length C	604 (max) mm
Diameter D	28 (max) mm

• Product Data

Order code	928048002043
Full product code	928048002043
Full product name	MASTER TL-D Food 18W/79 1SL
Order product name	MASTER TL-D Food 18W/79 1SL/25
Pieces per pack	1
Packing configuration	25
Packs per outerbox	25
Bar code on pack - EAN1	8711500706218
Bar code on outerbox - EAN3	8711500613080
Logistic code(s) - 12NC	928048002043
ILCOS code	FD-18/38/2A-E-G13
Net weight per piece	68.900 gr



Dimensional drawing



G13, T8

Product	A (Max)	B (Min)	B (Max)	C (Max)	D (Max)
TL-D Food 18W/79	589.8	594.5	596.9	604	28

Photometric data



© 2011 Koninklijke Philips Electronics N.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com/lighting

2011, October 13
data subject to change