

MASTER LEDlamps DimTone

MAS LEDbulb DT 15-100W A67 E27 827 FR



Product data

• General Information

Cap-Base	E27
Bulb Shape	A67 [A 67mm]
Main Application	Industrial
Nominal Lifetime (Nom)	25000 h
Switching Cycle B50L70	50000X 25000 h

• Light Technical

Color Code	822-827 [tunable warm white]
Luminous Flux (Nom)	1521 lm
Luminous Flux (Rated) (Nom)	1521 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2200-2700 K
Luminous Efficacy (rated) (Nom)	101 lm/W
Color Consistency	6 steps
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

• Operating and Electrical

Input Frequency	50 to 60 Hz
Power (Rated) (Nom)	15 W
Lamp Current (Nom)	84 mA
Wattage Equivalent	100 W
Starting Time (Nom)	0.5 s

Warm Up Time To 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.7
Voltage (Nom)	220-240 V

• Temperature

T-Case Maximum (Nom)	105 °C
----------------------	--------

• Controls and Dimming

Dimmable	Yes
----------	-----

• Approval and Application

Energy Saving Product	Yes
Suitable For Accent Lighting	No
Energy Efficiency Label (EEL)	A+
Energy Consumption kWh/1000 h	15 kWh


• Product Data

Full product code	87186965555200
Order product name	MAS LEDbulb DT 15-100W A67 E27 827 FR
EAN/UPC - Product	871869655552
Order code	929001184402
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6
Material Nr. (12NC)	929001184402

PHILIPS



Net Weight (Piece) 0.131 kg

Dimensional drawing



Bulb A21 230V18W-100W 1521lm2700KE27D

Product	D	C
MAS LEDbulb DT 15-100W A67 E27 827 FR	70.6 mm	137.2 mm



© 2016 Philips Lighting Holding B.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2016, June 2
data subject to change